

Floor Stocked Tub/Block Options

PURINA 301344

Purina® Stress Tub 2.0 225#

***Seasonal**

- Designed for young cattle prior to or after stress events (weaning, receiving, hospital pens) and breeding animals (60 days prior to calving and through breeding season)
- 12% protein, 4% fat; includes Availa® 4 and XPC® Yeast for immunity
- ¼ to ½lb consumption/head/day
 - 1 tub for 20 head of cattle or at least 2 tubs per pen

PURINA 1800045-633

Rangeland® 25 Tub 225#

- Designed for beef cattle on forage diets
- 25% protein, 5% fat; does not contain added salt
- ½ to 1lb consumption/head/day
 - 1 tub for every 20-25 head of cattle

PURINA 1800048-633

Rangeland® 30-13 Tub 225#

- Designed for beef cattle on dormant or other low-quality forage (providing less than 8% protein)
- 30% protein (13% from NPN), 5% fat; does not contain added salt
- ½ to 1lb consumption/head/day
 - 1 tub for every 20-25 head of cattle

PURINA 1800033-633

Rangeland® 38-20 Hi-E Tub 225#

- Designed for beef cattle on fair to medium quality forage diets
- 38% protein (20% from NPN), 12% fat; does not contain added salt
- ½ to 1lb consumption/head/day
 - 1 tub for every 20-25 head of cattle

PURINA 3005047-633 W+R All Season 4 Altosid Mineral Tub 225# *Seasonal

- Wind and Rain® weather resistant free choice mineral supplement for cow/calf and seedstock operators; contains Altosid for fly control
- Provides 14 essential minerals for health, growth, and reproduction
- Feed one tub per 25-30 head of cattle or at least 2 tubs per pasture
- Cattle will consume approx. ¼ to ½lb per head daily
- Does NOT contain added salt; provide adequate supplemental salt

PURINA 0061541 W+R All Season 4 Mineral Tub 225# *Seasonal

- Wind and Rain® weather resistant free choice mineral supplement for cow/calf and seedstock operators
- Provides 14 essential minerals for health, growth, and reproduction
- Feed one tub per 25-30 head of cattle or at least 2 tubs per pasture
- Cattle will consume approx. ¼ to ½lb per head daily
- Does NOT contain added salt; provide adequate supplemental salt

B9350 Ranchers Choice® All Stock 18% Tub 100#

- Supplement for horses, sheep, goats, cattle, and bison on pasture or roughage rations
- 18% protein, 4% fat; no added copper
- ¾ to 1lb/head/day consumption for cattle, horses, and bison
- 2 to 4 oz/head/day consumption for sheep and goats

B9382 Ranchers Choice® Range Grazer 37% Block 33.33#

- Supplement for cattle and sheep on pasture or confinement
- 37% protein (19% from NPN); no added copper
- Cattle: 1-2lbs/head/day; 1 block per 10 to 20 head
- Sheep: 0.25 – 0.5lbs/head/day; 1 block for 20 to 30 head

1808944 Bloat Guard Block 33.33#

- For control of legume (alfalfa, clover, grain pasture) bloat in cattle
- 6.6% Poloxalene; 0.8oz per 100lbs of body weight
- 1 block per 5 head of cattle
- Do not feed additional salt as this block already contains 19% of salt

1806000 Rumensin® 800 Block 40#

- For increased rate of weight gain in growing cattle on pasture or in dry lot (stocker and feeder cattle and beef replacement heifers).
- 800g/ton Rumensin®; feed as the only free choice source of salt, minerals, and vitamins
- 3.2-8oz of block/head/day; 1 block per 5 head of cattle
- Do NOT allow animals to run out of blocks once started

2630077 Trace Mineral Salt Block 50# (Brown)

2834703 Iodized Salt Block 50# (Red)

2834701 White Salt Block 50#

2633731 Sulphur Block 50# (Yellow)

06250 Vitalix® Kickstart Weaning Tub 250# - *Seasonal

- Feed to calves throughout weaning and preconditioning period
 - Start feeding 14 days prior to weaning
- Includes NaturSafe® and Availa 4® for immunity
- Calves should consume ½ to 1 ½lbs/head/day
 - 1 tub for every 20-25 head of cattle

01250 Vitalix® Conditioner #1 Tub 250#

- Specifically formulated for mature and growing beef cattle being fed grass hay, dry grass pasture, corn stalks, or other low-quality forages.
- 21% protein, 6% fat; includes Availa® Zinc, Zinpro® CoPro and XPC® Yeast
- ⅓ to ½lb consumption/1000lb body weight/day
 - 1 tub for every 30-40 head of cattle

10250 Vitalix® Breedback #10 Tub 250#

- Specifically formulated for mature and growing cattle being fed grass hay, dry grass pasture, corn stalks, or other roughages.
- Feed 45 days prior to breeding and then 45-60 days post breeding
- 18% protein, 9% fat; includes Availa® Zinc, Zinpro® CoPro, XPC® Yeast and Flax Seed (Omega 3 fatty acids)
- ¾ to 1 ½lb consumption/1000lbs of body weight
 - 1 tub for every 15-25 head of cattle